




Orange County Sanitation District

Ocean Monitoring Annual Report

Year 2011-2012



We're here for you.



ORANGE COUNTY SANITATION DISTRICT

March 14, 2013

10844 Ellis Avenue
Fountain Valley, CA
92708-7018

Mailing Address
P.O. Box 8127
Fountain Valley, CA
92728-8127

www.ocsd.com

Phone
(714) 962-2411

Fax
(714) 962-0356

Kurt V. Berchtold, Executive Officer
California Regional Water Quality Control Board
Santa Ana Region 8
3737 Main Street, Suite 500
Riverside, CA 92501-3339

SUBJECT: Board Order No. R8-2004-0062, NPDES Permit No. CA0110604
2011-12 Marine Monitoring Annual Report

Enclosed is the Orange County Sanitation District's 2011-12 Marine Monitoring Annual Report. This report focuses on the findings and conclusions for the monitoring period July 1, 2011 to June 30, 2012. Overall, the results of the monitoring program documents that the disposal of our treated and disinfected effluent into coastal marine waters continues to protect the environment and human health.

The results of the 2011-12 monitoring effort showed only minor impacts to the benthic infauna community within and adjacent to the zone of initial dilution (ZID). There had been a decline in benthic community health near the outfall that began in 2005 and peaked in 2010-11. There was evidence of improved conditions in the July 2011 survey and by January 2012 normal infauna and fish communities were present at all previously affected stations outside the ZID. In addition, permit-regulated sediment contaminants remained at or near background levels. The low levels of contaminants in fish tissues and the low incidents of external abnormalities and diseases in fish populations demonstrated that the outfall was not an epicenter of disease.

There were limited and minimal changes in the receiving water and sediment conditions. Plume-related changes in temperature, salinity, dissolved oxygen, pH, and transmissivity beyond the ZID were well within the range of natural variability, and compliance with numeric receiving water criteria was achieved over 96% of the time. Consequently, our ocean monitoring program continues to demonstrate that the coastal receiving water environment outside the ZID has not been degraded by the District's wastewater discharge. Finally, the low concentrations of bacteria in water contact zones, together with the limited distributions of ammonia, suggest that the wastewater discharge has had no discernible impact on human health and recreational use.

Serving
Anaheim
Brea
Buena Park
Cypress
Fountain Valley
Fullerton
Garden Grove
Huntington Beach
Irvine
La Habra
La Palma
Los Alamitos
Newport Beach
Orange
Placentia
Santa Ana
Seal Beach
Stanton
Tustin
Villa Park
Yorba Linda
Costa Mesa
Sanitary District
Midway City
Sanitary District
Irvine Ranch
Water District
County of Orange



Kurt V. Berchtold

Page 2

March 14, 2013

As discussed at the Quarterly Regulatory meeting held on January 31, 2013, we have concluded the studies that investigated the extent and cause(s) of the observed changes on the benthic community. The final project report is expected to be completed by June 2013. Some of the results are included in this report where they are germane to the interpretation of the core monitoring data.

Should you have questions regarding the information provided in this report, or wish to meet with District's staff to discuss any aspect of our ocean monitoring program, please contact me at (714) 593-7080. You may also contact Dr. Jeff Armstrong, the supervisor of our Ocean Monitoring section, at (714) 593-7455 or by e-mail at jarmstrong@ocsd.com.

Edward M. Torres, P.E.
Director of Operations and Maintenance

ET:DP:rm

N:\890\Groups\OMP\Common\Monitoring\01 - Core\Annual Reports\2010-11 Annual Report\Project Management\Letters\OCSD 2010-11 Annual Report Cover Letter - Final.doc

Enclosure

c: Jared Blumenfeld, U.S. EPA, Region IX



ORANGE COUNTY SANITATION DISTRICT

March 14, 2013

10844 Ellis Avenue
Fountain Valley, CA
92708-7018

Mailing Address
P.O. Box 8127
Fountain Valley, CA
92728-8127

www.ocsd.com


Phone
(714) 962-2411

Fax
(714) 962-0356

Certification Statement

The following certification satisfies Section A.10 and A.15 of the Orange County Sanitation District's Monitoring and Reporting Program No. R8-2004-0062, NPDES No. CA0110604, for the submittal of the attached OCSD Annual Report 2011 – Marine Monitoring.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for known violations.


Edward M. Torres, P.E.
Director of Operations and Maintenance

3-14-13
Date

JA:ja

\\filer-1\lab\890\Groups\OMP\Common\Annual Reports\2011-12\13 - Project Management\Letters\OCSD 2011-12 OMP Annual Report Certification Statement - Draft 1.docx

Serving
Anaheim
Brea
Buena Park
Cypress
Fountain Valley
Fullerton
Garden Grove
Huntington Beach
Irvine
La Habra
La Palma
Los Alamitos
Newport Beach
Orange
Placentia
Santa Ana
Seal Beach
Stanton
Tustin
Villa Park
Yorba Linda
Costa Mesa
Sanitary District
Midway City
Sanitary District
Irvine Ranch
Water District
County of Orange

ANNUAL REPORT 2012

MARINE MONITORING

**Orange County Sanitation District
10844 Ellis Avenue
Fountain Valley, CA 92728-8127
(714) 962-2411**

	page
Letter of Transmittal	
Certification Statement	
Table of Contents	i
List of Tables	v
List of Figures	ix
List of Abbreviations, Acronyms, and Conversions	xv
Acknowledgements	xix
EXECUTIVE SUMMARY	ES.1
Chapter 1 - THE OCEAN MONITORING PROGRAM	
INTRODUCTION	1.1
DESCRIPTION OF THE DISTRICT'S OPERATIONS	1.4
REGULATORY SETTING FOR THE OCEAN MONITORING PROGRAM	1.6
ENVIRONMENTAL SETTING	1.10
REFERENCES	1.12
Chapter 2 - COMPLIANCE DETERMINATIONS	
INTRODUCTION	2.1
RESULTS AND DISCUSSION	2.3
Bacterial Criteria	2.3
Physical Criteria	2.5
Chemical Criteria	2.5
Biological Criteria	2.8
Radioactivity	2.10
CONCLUSIONS	2.10
REFERENCES	2.11
Chapter 3 - COASTAL OCEANOGRAPHY AND WATER QUALITY	
INTRODUCTION	3.1
METHODS	3.6
Field Surveys	3.7
Data Processing and Analysis	3.5
RESULTS AND DISCUSSION	3.7
Regional Water Quality Conditions	3.7
Local Water Quality Conditions	3.14
CONCLUSIONS	3.52
REFERENCES	3.56
Chapter 4 - SEDIMENT GEOCHEMISTRY	
INTRODUCTION	4.1
METHODS	4.2
RESULTS AND DISCUSSION	4.5
Correlation Analysis	4.5
Spatial Analysis	4.6
Long Term (Temporal) Trend Analysis	4.32
Sediment Toxicity	4.32
CONCLUSIONS	4.32
REFERENCES	4.39

	page
Chapter 5 - MACROBENTHIC INVERTEBRATE COMMUNITIES	
INTRODUCTION	5.1
METHODS	5.2
RESULTS AND DISCUSSION	5.5
Taxa and Abundance	5.5
Community Indicators	5.6
Diversity Indices	5.6
Infaunal Trophic Index and Benthic Response Index	5.14
Temporal (long-term) Trend Analysis	5.19
Indicator Species	5.19
Spatial Analysis	5.26
CONCLUSIONS	5.36
REFERENCES	5.37
Chapter 6 - TRAWL COMMUNITIES AND ORGANISM HEALTH	
INTRODUCTION	6.1
METHODS	6.3
Field Methods	6.3
Data Analysis	6.4
RESULTS AND DISCUSSION	6.5
Fish Community	6.5
EMI Community	6.19
Fish Tissue Contaminants	6.24
Parasites and Abnormalities	6.34
CONCLUSIONS	6.34
REFERENCES	6.36
Appendix A - DETAILED METHODS	
INTRODUCTION	A.1
COMPLIANCE DETERMINATIONS	A.1
COASTAL OCEANOGRAPHY	A.10
Teledyne RD Instruments Workhorse Acoustic Doppler Current Profiler (ADCP)	A.11
WATER QUALITY MONITORING	A.13
Field Methods	A.13
Data Analysis	A.13
BACTERIOLOGY/NUTRIENTS	A.15
Field Methods	A.15
Laboratory Methods	A.16
Data Analyses	A.16
SEDIMENT GEOCHEMISTRY	A.17
Field Methods	A.17
Laboratory Methods	A.18
Data Analyses	A.18
BENTHIC INFAUNA	A.22
Field Methods	A.22
Laboratory Methods	A.22
Data Analyses	A.23
TRAWL COMMUNITIES	A.24
Field Methods	A.24
Laboratory Methods	A.25
Data Analyses	A.25
FISH TISSUE CONTAMINANTS	A.25
Field Methods	A.26

CONTENTS

	page
Laboratory Methods	A.26
FISH HEALTH	A.26
Field Methods	A.26
REFERENCES	A.28
Appendix B - SUPPORTING DATA	B.1
Appendix C - QUALITY ASSURANCE /QUALITY CONTROL	
INTRODUCTION	C.1
WATER QUALITY NARRATIVE	C.2
SEDIMENT CHEMISTRY NARRATIVE	C.10
First Quarter (July 2011)	C.10
Second Quarter (November 2011)	C.12
Third Quarter (January 2012)	C.13
Fourth Quarter (April 2012)	C.13
FISH TISSUE CHEMISTRY NARRATIVE	C.35
First Quarter (August 2011)	C.35
BENTHIC INFAUNA NARRATIVE	C.44
Sorting and Taxonomy QA/QC	C.44
OTTER TRAWL NARRATIVE	C.47
REFERENCES	C.60

Chapter 1 - THE OCEAN MONITORING PROGRAM

No Tables.

Chapter 2 - COMPLIANCE DETERMINATIONS

Table 2-1.	Listing of compliance criteria from NPDES ocean discharge permit (Order No. R8-2004-0062, Permit # CAO110604) and compliance status for each criterion in 2011-12.	2.2
Table 2-2.	Summary of offshore water quality compliance testing results for dissolved oxygen, pH, and transmissivity for 2011-12.	2.6

Chapter 3 - COASTAL OCEANOGRAPHY AND WATER QUALITY

Table 3-1.	Summary of selected final effluent and receiving water parameters and expected changes compared to natural seawater at 31-45 m depths from the wastewater discharge at a minimum centerline dilution of 124:1.	3.5
Table 3-2.	Summary of quarterly water quality parameters for the Central Bight Regional Water Quality Group by season during 2011-12.	3.10
Table 3-3.	Chlorophyll bloom determinations by percent for quarterly regional sampling, July 2011 through June 2012.	3.17
Table 3-4.	Summary statistics for surfzone total coliform, fecal coliform, and enterococcus bacteria (MPN/100 mL) by stations and seasons during 2011-12.	3.18
Table 3-5.	Summary of quarterly water quality parameters by depth strata and season during 2011-12.	3.26
Table 3-6.	Chlorophyll bloom determinations by occurrence and percent for OCSD monthly sampling, July 2011 through June 2012.	3.47

Chapter 4 - SEDIMENT GEOCHEMISTRY

Table 4-1.	Concentrations of sediment organic contaminants ($\mu\text{g}/\text{kg}$) at the District's annual stations in Summer 2011 compared to Effects Range–Low (ERL) and Effects Range–Median (ERM) values and regional measurements of sediment physical characteristics.	4.7
Table 4-2.	Concentrations of sediment organic contaminants ($\mu\text{g}/\text{kg}$) at the District's annual stations in Winter 2012 compared to Effects Range–Low (ERL) and Effects Range–Median (ERM) values and regional measurements of sediment physical characteristics.	4.9
Table 4-3.	Concentrations of sediment metals (mg/kg) at the District's annual stations in Summer 2011 compared with Effects Range–Low (ERL) and Effects Range–Median (ERM) values and regional measurements of sediment physical characteristics.	4.24
Table 4-4.	Concentrations of sediment metals (mg/kg) at the District's annual stations in Winter 2011 compared with Effects Range–Low (ERL) and Effects Range–Median (ERM) values and regional measurements of sediment physical characteristics.	4.26
Table 4-5.	Eigen values and Eigen vectors from the principal components analysis performed on the July 2011 annual survey data.	4.30
Table 4-6.	Station groups identified by non-metric multidimensional Scaling (MDS) of cadmium, zinc, and total linear alkylbenzenes (tLAB) data from July 2011 (n=68).	4.30

	page	
Table 4-7.	Whole-sediment <i>Eohaustorius estuarius</i> (amphipod) sediment toxicity test results for August 2011 and January 2012. Test results given as the difference between test sediment percent survival vs. home sediment percent survival.	4.37
Table 4-8.	Mean Effects-Range-Medium Quotient (mERMq) values for sediment contaminant concentrations during 2011-12.	4.37
 Chapter 5 - MACROBENTHIC INVERTEBRATE COMMUNITIES		
Table 5-1.	Major taxonomic groups by station depth and location within or outside the zone of initial dilution (ZID). Values represent the mean and (range) of values for stations within a depth range.	5.7
Table 5-2.	Summary of infaunal community measures for all stations during the Summer 2011 survey, sorted by depth.	5.8
Table 5-3.	Summary of infaunal community measures for all stations during the Winter 2012 survey, sorted by depth.	5.10
Table 5-4.	Description of station clusters (SC1 to SC10) defined in Figure 5-7. Data include the number of stations per cluster, number of species, and mean abundance per station of the 10 most abundance species. Bold values indicate species that were considered "characteristic" of a cluster by SIMPER analysis.	5.31
 Chapter 6 - TRAWL COMMUNITIES AND ORGANISM HEALTH		
Table 6-1.	Summary of demersal fish species collected during the summer (August 2011) and winter (February 2012) surveys. Data for each species are expressed as total abundance (Total), percent abundance (%A), percent frequency of occurrence (%FO), and mean abundance per haul (MAH).	6.6
Table 6-2.	Summary of demersal fish species and abundance by family for the summer (August 2011) and winter (February 2012) surveys.	6.8
Table 6-3.	Description of cluster groups (A, B, C, D, and E) defined in Figure 6-4. Data include number of hauls, species richness, mean total abundance, and mean abundance of the five most abundant species for each station group. Bold values indicate species that were considered "characteristic" of that group according to SIMPER analyses (i.e. similarity/standard deviation >2.0).	6.12
Table 6-4.	Summary of epibenthic macroinvertebrates species collected during the summer (August 2011) and winter (February 2012) surveys. Data for each species are expressed as total abundance (Total), percent abundance (%A), frequency of occurrence (%FO), and mean abundance per haul (MAH).	6.20
Table 6-5.	Results of tissue contaminant analysis of trawl fish collected at outfall and farfield station groups.	6.28
 Appendix A – DETAILED METHODS		
Table A-1.	OCSD ocean monitoring program station positions and nominal depths.	A.2
Table A-2.	Sampling dates during 2011-12.	A.9
Table A-3.	Deployment summary for District's acoustic Doppler current profilers for 2011-12.	A.12
Table A-4.	Water quality sample collection and analysis methods by parameter.	A.14
Table A-5.	Sediment composition, chemistry sampling, and benthic infaunal sampling summary.	A.17
Table A-6.	Sediment handling and analysis summary.	A.19

	page
Table A-7. Parameters measured in sediments.	A.20
Table A-8. Benthic infauna sample identification schedule.	A.22
Table A-9. Parameters measured in fish tissue.	A.27

Appendix B - SUPPORTING DATA

Table B-1. Comparison of surfzone total coliform bacterial data to the 30-day median California Ocean Plan benchmark, July 2011 through June 2012.	B.1
Table B-2. Comparison of surfzone total coliform bacterial data to the 30-day 10% California Ocean Plan benchmark, July 2011 through June 2012.	B.2
Table B-3. Comparison of surfzone fecal coliform bacterial data to the monthly geometric mean California Ocean Plan benchmark, July 2011 through June 2012.	B.3
Table B-4. Comparison of surfzone fecal coliform bacterial data to the 60-day 10% California Ocean Plan benchmark, July 2011 through June 2012.	B.4
Table B-5. Comparison of surfzone enterococci bacteria data to the 30-day geometric mean California Ocean Plan benchmark, July 2011 through June 2012.	B.5
Table B-6. Comparison of surfzone enterococci bacteria data to the six-month geometric mean California Ocean Plan benchmark, July 2011 through June 2012.	B.6
Table B-7. Total coliform bacteria (MPN/100 mL) collected in offshore waters and used for comparison with REC-1 compliance criteria, July 2011 through June 2012.	B.7
Table B-8. Fecal coliform bacteria (MPN/100 mL) collected in offshore waters and used for comparison with REC-1 compliance criteria, July 2011 through June 2012.	B.8
Table B-9. Enterococci bacteria (MPN/100 mL) collected in offshore waters, July 2011 through June 2011.	B.9
Table B-10. Comparison of surfzone particulate grease data, July 2011 through June 2012.	B.10
Table B-11. Summary of floatable material by station group (station) observed during 29-station grid water quality surveys, July 2011 through June 2012. Individual stations may have multiple types of debris.	B.11
Table B-12. Summary of floatable material by station group (station) observed during REC-1 water quality surveys, July 2011 through June 2012. Individual stations may have multiple types of debris.	B.11
Table B-13. Total abundance of demersal fish by family and species sampled in summer (August 2011) and winter (February 2012).	B.12
Table B-14. Total biomass (kg) of demersal fish by species sampled in summer (August 2011) and winter (February 2012).	B.15
Table B-15. Total abundance of epibenthic macroinvertebrates by species and station sampled in summer (August 2011) and winter (February 2012).	B.17
Table B-16. Total biomass (kg) of epibenthic macroinvertebrates by species and station sampled in summer (August 2011) and winter (February 2012).	B.20

Appendix C - QUALITY ASSURANCE/ QUALITY CONTROL

Table C-1. Ocean monitoring program sample collection requirements and percent completion, July 2011–June 2012.	C.3
Table C-2. Water Quality Ammonium QA/QC Summary, July 2011–June 2012.	C.4

TABLES

		page
Table C-3.	Method detection levels for PAH and LAB compounds in sediments, July 2011–June 2012.	C.14
Table C-4.	Acceptance criteria for standard reference materials of PAHs in sediments, July 2011–June 2012.	C.15
Table C-5.	Sediment PAH/LAB QA/QC summary, July 2011–June 2012.	C.16
Table C-6.	Method detection levels for PCB congeners and pesticides in sediments using Ion Trap, July 2011–June 2012.	C.20
Table C-7.	Method detection levels for PCB congeners and pesticides in sediments using DSQII, July 2011–June 2012.	C.21
Table C-8.	Acceptance criteria for standard reference materials of pesticides/PCBs in sediments, July 2011–June 2012.	C.22
Table C-9.	Sediment PCB/pesticide QA/QC summary, July 2011–June 2012.	C.23
Table C-10.	Method detection limits for trace metals in sediments, July 2011–June 2012.	C.27
Table C-11.	Acceptance criteria for standard reference materials of metals in sediments, July 2011–June 2012.	C.27
Table C-12.	Sediment metals QA/QC summary, July 2011–June 2012.	C.28
Table C-13.	Method detection limits for dissolved sulfides, total organic carbon, and grain size in sediments, July 2011–June 2012.	C.32
Table C-14.	Sediment dissolved sulfides QA/QC summary, July 2011–June 2012.	C.33
Table C-15.	Sediment total organic carbon QA/QC summary, July 2011–June 2012.	C.34
Table C-16.	Sediment grain size QA/QC summary, July 2011–June 2012.	C.34
Table C-17.	Method detection levels for pesticides and PCB congeners in fish tissue using Ion Trap, July 2011–June 2012.	C.37
Table C-18.	Method detection levels for pesticides and PCB congeners in fish tissue using DSQII, February 2011–June 2012.	C.38
Table C-19.	Acceptance criteria for standard reference materials of PCB congeners in fish tissue, CARP-2, July 2011–June 2012.	C.39
Table C-20.	Acceptance criteria for standard reference materials of pesticides and PCB congeners in fish tissue, SRM-1946, July 2011–June 2012.	C.39
Table C-21.	Fish tissue PCB/pesticide QA/QC summary, July 2011–June 2012.	C.40
Table C-22.	Fish tissue percent lipid QA/QC summary, July 2011–June 2012.	C.42
Table C-23.	Method detection levels for mercury in fish tissue, July 2011–June 2012.	C.42
Table C-24.	Acceptance criteria for standard reference materials of mercury in fish tissue, July 2011–June 2012.	C.42
Table C-25.	Fish tissue mercury QA/QC summary, July 2011–June 2012.	C.43
Table C-26.	Re-identification results for January 2011 QA samples.	C.46
Table C-27.	Percent error rates calculated for January 2011 QA samples.	C.46
Table C-28.	Infauanal name changes resulting from synoptic data review.	C.46
Table C-29.	Districts quality assurance objectives for trawl sampling, July 2011–June 2012.	C.47
Table C-30.	Trawl sample dates, track distances, percent difference from target track distance, elapsed time, and vessel speed, August 2011.	C.48
Table C-31.	Ten percent trawl depth QA, August 2011.	C.49

TABLES

	page
Table C-32. Trawl sample dates, track distances, percent difference from target track distance, elapsed time, and vessel speed, February 2012.	C.50
Table C-33. Ten percent trawl depth QA, February 2011.	C.51

Chapter 1 - THE OCEAN MONITORING PROGRAM

Figure 1-1. Regional setting for the District’s ocean monitoring program. 1.2

Figure 1-2. Annual (a) and monthly (b) total beach attendance for Huntington City Beach, Newport Beach, Bolsa Chica State Beach, Huntington State Beach, and Crystal Cove State Beach. Annual values represent beach attendance from July 1 to June 30 for each year. Solid black line on each plot represents historical mean beach attendance (2001–2012). 1.3

Figure 1-3. Final effluent 30-day geometric means, running minimums, running maximums, and District operational goals for (a) total coliform bacteria, (b) fecal coliform bacteria, and (c) enterococcus bacteria measured in the District’s final effluent, and (d) 30-day geometric means after initial dilution of 180:1 with AB411 geomean standards from July 1, 2011 to June 30, 2012. 1.5

Figure 1-4. Annual and monthly rainfall and flow, respectively, for Newport Harbor, California (a, c) and the Santa Ana River (b, d). Rainfall totals are per water year (October 1 to September 30). Solid line on each plot represents historical annual or monthly means (1923–2012). 1.7

Figure 1-5. Trends in the District’s effluent flow compared to Orange County population and selected effluent constituent discharges to the San Pedro shelf region, 1975–2012. 1.8

Chapter 2 - COMPLIANCE DETERMINATIONS

Figure 2.1. Exceedances of the California Ocean Plan benchmarks by count per/station at OCS nearshore (surfzone) stations, July 2011 through June 2012. 2.4

Chapter 3 - COASTAL OCEANOGRAPHY AND WATER QUALITY

Figure 3-1. Water quality monitoring and current meter stations for 2011-12. 3.2

Figure 3-2. Sampling locations for the regional water quality monitoring program. 3.3

Figure 3-3. Standardized values for the Pacific Decadal Oscillation (PDO), El Niño Southern Oscillation (ENSO), and Upwelling Anomaly indices, 2005–2012. 3.8

Figure 3-4. Seasonal patterns of temperature (°C) for summer (August 2011), fall (November 2011), winter (February 2012), and spring (May 2012) for the Central Bight Regional Water Quality Monitoring Program grid. 3.12

Figure 3-5. Seasonal patterns of salinity (psu) for summer (August 2011), fall (November 2011), winter (February 2012), and spring (May 2012) for the Central Bight Regional Water Quality Monitoring Program grid. 3.13

Figure 3-6. Seasonal patterns of dissolved oxygen (mg/L) for summer (August 2011), fall (November 2011), winter (February 2012), and spring (May 2012) for the Central Bight Regional Water Quality Monitoring Program grid. 3.15

Figure 3-7. Seasonal patterns of chlorophyll-a (µg/L) for summer (August 2011), fall (November 2011), winter (February 2012), and spring (May 2012) for the Central Bight Regional Water Quality Monitoring Program grid. 3.16

Figure 3-8. Seasonal distribution of total coliform, fecal coliform, and enterococci bacteria at the District’s nearshore (surfzone) water quality stations for July 1, 2011 to June 30, 2012. 3.21

	page
Figure 3-9. Spatial distribution of total coliform, fecal coliform, and enterococci bacteria at the District's nearshore (surfzone) water quality stations for July 1, 2011 to June 30, 2012.	3.22
Figure 3-10. Bottom temperature (°C) and current speed (cm/s) and direction by depth for mooring M-18, July 2011–June 2012. Data processed using a 40-hour low pass filter and rotated 302°.	3.24
Figure 3-11. Average current speed (cm/s) and direction by depth for mooring M-18, July 2011–June 2012. Data processed using a 40-hour low pass filter. Direction oriented to true north.	3.25
Figure 3-12. Seasonal patterns of temperature (°C) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.30
Figure 3-13. Seasonal patterns of thermocline depth for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.32
Figure 3-14. Seasonal patterns of density (kg/m ³) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.33
Figure 3-15. Seasonal patterns of salinity (psu) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.34
Figure 3-16. Seasonal patterns of dissolved oxygen (mg/L) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.36
Figure 3-17. Seasonal patterns of pH for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.37
Figure 3-18. Seasonal patterns of light transmission (%) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.38
Figure 3-19. Seasonal patterns of color dissolved organic matter (CDOM, µg/L) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.40
Figure 3-20. Seasonal patterns of color dissolved organic matter (CDOM, µg/L) at OCSD regional stations for summer (August 2011), fall (November 2011), winter (February 2012), and spring (May 2012).	3.41
Figure 3-21. Seasonal patterns of secchi depth (m) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.42
Figure 3-22. Seasonal patterns of water color (Forel/Ule) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.43

	page
Figure 3-23. Quarterly average chlorophyll-a fluorescence ($\mu\text{g/L}$; green line) and photosynthetically active radiation (PAR; $\mu\text{E}/(\text{cm}^2\cdot\text{sec})$; red line) with depth for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.44
Figure 3-24. Seasonal patterns of 1% PAR depth (m) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.45
Figure 3-25. Seasonal patterns of chlorophyll-a ($\mu\text{g/L}$) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.46
Figure 3-26. Seasonal patterns of ammonia (mg/L) for summer (July 26, August 22, September 7, 2011), fall (November 2, November 8, December 15, 2011), winter (January 18, February 9, March 7, 2012), and spring (April 18, May 8, June 13, 2012).	3.50
Figure 3-27. Seasonal patterns of total coliforms (MPN/100mL) for summer (July 26, 27, August 9, 10, 22), fall (October 27, November 2, 3, 8, 9), winter (February 7, 9, 15, 16, March 7, 2012), and spring (April 18, May 2, 3, 8, 10).	3.51
Figure 3-28. Seasonal patterns of fecal coliforms (MPN/100mL) for summer (July 26, 27, August 9, 10, 22), fall (October 27, November 2, 3, 8, 9), winter (February 7, 9, 15, 16, March 7, 2012), and spring (April 18, May 2, 3, 8, 10).	3.53
Figure 3-29. Seasonal patterns of enterococci (MPN/100mL) for summer (July 26, 27, August 9, 10, 22), fall (October 27, November 2, 3, 8, 9), winter (February 7, 9, 15, 16, March 7, 2012), and spring (April 18, May 2, 3, 8, 10).	3.54

Chapter 4 - SEDIMENT GEOCHEMISTRY

Figure 4-1. Sediment geochemistry sampling stations for semi-annual surveys, 2011-12.	4.3
Figure 4-2. Spatial trend bubble plots of tLABs for summer 2011 (top) and winter 2012 (bottom).	4.11
Figure 4-3. Distribution of mean and standard deviation values for total LAB ($\mu\text{g}/\text{kg}$), fines (%), total organic carbon (%), dissolved sulfides (mg/kg), total PAH ($\mu\text{g}/\text{kg}$), total DDT ($\mu\text{g}/\text{kg}$), total pesticides ($\mu\text{g}/\text{kg}$), and total PCB ($\mu\text{g}/\text{kg}$) in sediments at the 60 m shelf stations during 2011-12.	4.12
Figure 4-4. Spatial trend bubble plots of % fines for summer 2011 (top) and winter 2012 (bottom).	4.13
Figure 4-5. Spatial trend bubble plots of % TOC for summer 2011 (top) and winter 2012 (bottom).	4.15
Figure 4-6. Spatial trend bubble plots of dissolved sulfides for summer 2011 (top) and winter 2012 (bottom).	4.16
Figure 4-7. Spatial trend bubble plots of tPAHs for summer 2011 (top) and winter 2012 (bottom).	4.17
Figure 4-8. Spatial trend bubble plots of tDDTs for summer 2011 (top) and winter 2012 (bottom).	4.19
Figure 4-9. Spatial trend bubble plots of tPCBs for summer 2011 (top) and winter 2012 (bottom).	4.20
Figure 4-10. Spatial trend bubble plots of representative Group A (chromium) and Group B (copper) metals for summer 2011 (top) and winter 2012 (bottom).	4.22
Figure 4-11. Distribution of mean and standard deviation values (mg/kg) for arsenic, beryllium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, and zinc in sediments at the 60 m shelf stations during 2011-12.	4.28
Figure 4-12. Station plot of principal components analysis (PCA) for July 2011. Station symbols correspond to PCA station groupings (group numbers).	4.29

	page
Figure 4-13. Map of station groups of principal components analysis for July 2011.	4.31
Figure 4-14. Changes over time for total DDT, total PCB, total PAH, % fines, sulfides, total organic carbon, arsenic, beryllium, cadmium, chromium, copper, lead, mercury, nickel, selenium, silver, and zinc in sediments at the 60 m shelf station groups during 1997–2012.	4.33
 Chapter 5 - MACROBENTHIC INVERTEBRATE COMMUNITIES	
Figure 5-1. Benthic infaunal sampling stations for semi-annual surveys, 2011-12.	5.3
Figure 5-2. Spatial trend bubble plots of number of species for summer 2011 (top) and winter 2012 (bottom).	5.12
Figure 5-3. Spatial trend bubble plots of abundance for summer 2011 (top) and winter 2012 (bottom).	5.13
Figure 5-4. Spatial trend bubble plots of Shannon-Wiener diversity (H') for summer 2011 (top) and winter 2012 (bottom).	5.15
Figure 5-5. Spatial trend bubble plots of Schwartz's 75% Dominance Index (SDI) for summer 2011 (top) and winter 2012 (bottom).	5.16
Figure 5-6. Spatial trend bubble plots of infaunal trophic index (ITI) for summer 2011 (top) and winter 2012 (bottom).	5.17
Figure 5-7. Spatial trend bubble plots of benthic response index (BRI) for summer 2011 (top) and winter 2012 (bottom).	5.18
Figure 5-8. Annual mean values for benthic infauna parameters for the period 1985–2012: No. of species, abundance, Shannon-Wiener diversity (H'), Schwartz's 75% dominance, infaunal trophic index (ITI), and benthic response index (BRI).	5.20
Figure 5-9. Spatial trend bubble plots of <i>Euphilomedes carcharodonta</i> abundance for summer 2011 (top) and winter 2012 (bottom).	5.22
Figure 5-10. Annual mean values of abundance for the period 2000–2011: <i>Euphilomedes carcharodonta</i> , <i>Capitella capitata</i> Cmplx, <i>Amphiodia urtica</i> , and amphipods.	5.23
Figure 5-11. Spatial trend bubble plots of <i>Capitella capitata</i> Cmplx abundance for summer 2011 (top) and winter 2012 (bottom).	5.25
Figure 5-12. Spatial trend bubble plots of <i>Amphiodia urtica</i> abundance for summer 2011 (top) and winter 2012 (bottom).	5.27
Figure 5-13. Spatial trend bubble plots of Amphipod abundance for summer 2011 (top) and winter 2012 (bottom).	5.28
Figure 5-14. Dendrogram of cluster analysis results for July 2011.	5.29
Figure 5-15. Map of station groups from cluster analysis for July 2011.	5.30
 Chapter 6 - TRAWL COMMUNITIES AND ORGANISM HEALTH	
Figure 6-1. Otter trawl stations for semi-annual surveys, 2011-12.	6.2
Figure 6-2. Number of individuals (abundance), biomass, and number of species of demersal fish collected during the summer (August 2011) and winter (February 2012) surveys.	6.9
Figure 6-3. Diversity indices values — Shannon-Wiener Diversity Index (H'), Margalef Species Richness (SR), and Schwartz's 75% Dominance Index of demersal fish collected during the summer (August 2011) and winter (February 2012) surveys.	6.11

	page	
Figure 6-4.	Results of classification analysis of demersal fish assemblages collected at the seven 60-m stations during the summer (August 2011) and winter (February 2012) trawl surveys. Data are presented as a dendrogram of major station clusters. Stations-surveys are denoted by S for summer and W for winter.	6.13
Figure 6-5.	Comparison of demersal fish mean abundance for select species at stations located along the 60 meter depth contour for 1985–2012.	6.14
Figure 6-6.	Mean Fish Response Index (FRI) by station in 2011-12 and annual mean FRI for outfall Station T1 and farfield upcoast Station T11.	6.17
Figure 6-7.	Comparison of demersal fish parameters at OCSD stations T1 and T11 from 1985 to 2011 and regional non-POTW stations from the 1994, 1998, 2003, and 2008 regional monitoring surveys. All data for mean abundance, biomass, number of species, and Shannon-Wiener diversity (H') are for summer surveys only. Range bars represent the range of values (minimum and maximum) for the non-POTW areas per survey.	6.18
Figure 6-8.	Number of individuals (abundance), biomass, and number of species of epibenthic macroinvertebrates collected during the summer (August 2011) and winter (February 2012) surveys.	6.22
Figure 6-9.	Comparison of epibenthic macroinvertebrate mean abundance for select species at stations located along the 60 meter depth contour for 1985–2012.	6.23
Figure 6-10.	Diversity indices values — Shannon-Wiener Diversity Index (H'), Margalef Species Richness (SR), and Schwartz's 75% Dominance Index of epibenthic macroinvertebrates collected during the summer (August 2011) and winter (February 2012) surveys.	6.25
Figure 6-11.	Comparison of epibenthic macroinvertebrate parameters at OCSD stations T1 and T11 from 1985 to 2011 and regional non-POTW stations from the 1994, 1998, 2003, and 2008 regional monitoring surveys. All data for mean abundance, biomass, number of species, and Shannon-Wiener diversity (H') are for summer surveys only. Range bars represent the range of values (minimum and maximum) for the non-POTW areas per survey.	6.26
Figure 6-12.	Mean concentrations of total DDT (µg/kg wet weight) in hornyhead turbot (<i>Pleuronichthys verticalis</i>) and English sole (<i>Parophrys vetulus</i>) muscle tissue and liver in August 2011 at outfall (OF) versus farfield (FF) sites.	6.29
Figure 6-13.	Mean concentrations of total PCB (µg/kg wet weight) in hornyhead turbot (<i>Pleuronichthys verticalis</i>) and English sole (<i>Parophrys vetulus</i>) muscle and liver tissue in August 2011 at outfall (OF) versus farfield (FF) sites.	6.30
Figure 6-14.	Mean concentrations of total chlorinated pesticides (µg/kg wet weight) in hornyhead turbot (<i>Pleuronichthys verticalis</i>) and English sole (<i>Parophrys vetulus</i>) muscle tissue and liver, in August 2011 at outfall (OF) versus farfield (FF) sites.	6.31
Figure 6-15.	Mean concentrations of mercury (mg/kg wet weight) in hornyhead turbot (<i>Pleuronichthys verticalis</i>) and English sole (<i>Parophrys vetulus</i>) muscle and liver tissue in August 2011 at outfall (OF) versus farfield (FF) sites.	6.32

Appendix A – DETAILED METHODS

Figure A-1.	Water quality monitoring stations and zones used for compliance determinations.	A.8
-------------	---	-----

Appendix B - SUPPORTING DATA

Figure B-1.	Summary of mean percent compliance for dissolved oxygen, pH, and light transmissivity for all stations compared to reference stations, 1985–2012.	B.23
-------------	---	------

	page
Figure B-2. Seasonal scatter and box plots of temperature (°C) for the Central Bight Regional Water Quality Monitoring Program (blue) and OCSD stations (red), July 2011 through June 2012.	B.24
Figure B-3. Seasonal scatter and box plots of density (kg/m ³) for the Central Bight Regional Water Quality Monitoring Program (blue) and OCSD stations (red), July 2011 through June 2012.	B.25
Figure B-4. Quarterly plots of temperature (°C) from the SCRIPP's Spray Glider from measurements in 2012 along CalCOFI line 90. The distance on the horizontal axis increases offshore from the CalCOFI station closest to shore.	B.26
Figure B-5. Seasonal scatter and box plots of salinity (psu) for the Central Bight Regional Water Quality Monitoring Program (blue) and OCSD stations (red), July 2011 through June 2012.	B.27
Figure B-6. Quarterly plots of salinity (psu) from the SCRIPP's Spray Glider from measurements in 2012 along CalCOFI line 90. The distance on the horizontal axis increases offshore from the CalCOFI station closest to shore.	B.28
Figure B-7. Seasonal scatter and box plots of dissolved oxygen (mg/L) for the Central Bight Regional Water Quality Monitoring Program (blue) and OCSD stations (red), July 2011 through June 2012.	B.29
Figure B-8. Seasonal scatter and box plots of oxygen saturation (%) for the Central Bight Regional Water Quality Monitoring Program (blue) and OCSD stations (red), July 2011 through June 2012.	B.30
Figure B-9. Seasonal scatter and box plots of chlorophyll-a (µg/L) for the Central Bight Regional Water Quality Monitoring Program (blue) and OCSD stations (red), July 2011 through June 2012.	B.31
Figure B-10. Quarterly plots of chlorophyll-a (log ₁₀) from the SCRIPP's Spray Glider from measurements in 2012 along CalCOFI line 90. The distance on the horizontal axis increases offshore from the CalCOFI station closest to shore.	B.32
Figure B-11. Seasonal scatter and box plots of pH (pH units) for the Central Bight Regional Water Quality Monitoring Program (blue) and OCSD stations (red), July 2011 through June 2012.	B.33
Figure B-12. Seasonal scatter and box plots of light transmission (%) for the Central Bight Regional Water Quality Monitoring Program (blue) and OCSD stations (red), July 2011 through June 2012.	B.34
Figure B-13. Bottom temperature (°C) and current speed (cm/s) and direction by depth for mooring M-19, July 2011–June 2012. Data processed using a 40-hour low pass filter and rotated 302°.	B.35
Figure B-14. Average current speed (cm/s) and direction by depth for mooring M-19, July 2011–June 2012. Data processed using a 40-hour low pass filter. Direction oriented to true north.	B.36
Figure B-15. Bottom temperature (°C) and current speed (cm/s) and direction by depth for mooring M-20, July 2011–June 2012. Data processed using a 40-hour low pass filter and rotated 302°.	B.37
Figure B-16. Average current speed (cm/s) and direction by depth for mooring M-20, July 2011–June 2012. Data processed using a 40-hour low pass filter. Direction oriented to true north.	B.38
Figure B-17. Bottom temperature (°C) and current speed (cm/s) and direction by depth for mooring M-21, July 2011–June 2012. Data processed using a 40-hour low pass filter and rotated 287°.	B.39

	page
Figure B-18. Average current speed (cm/s) and direction by depth for mooring M-21, July 2011–June 2012. Data processed using a 40-hour low pass filter. Direction oriented to true north.	B.40
Figure B-19. Seasonal scatter and box plots of temperature (°C) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.41
Figure B-20. Seasonal scatter and box plots of delta T (°C) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.42
Figure B-21. Modeled hourly temperature patterns for OCSD Virtual Mooring, July 1, 2011 to June 30, 2012.	B.43
Figure B-22. Seasonal scatter and box plots of density (kg/m ³) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.44
Figure B-23. Seasonal scatter and box plots of salinity (psu) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.45
Figure B-24. Seasonal scatter and box plots of dissolved oxygen (mg/L) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.46
Figure B-25. Seasonal scatter and box plots of oxygen saturation (%) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.47
Figure B-26. Seasonal scatter and box plots of pH (pH units) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.48
Figure B-27. Seasonal scatter and box plots of light transmission (%) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.49
Figure B-28. Seasonal scatter and box plots of beam C (1/m) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.50
Figure B-29. Seasonal scatter and box plots of color dissolved organic matter (CDOM, µg/L) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.51
Figure B-30. Seasonal scatter and box plots of normalized photosynthetically active radiation (PAR; µE/cm ² ·sec) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.52
Figure B-31. Seasonal scatter and box plots of chlorophyll-a (µg/L) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.53
Figure B-32. Seasonal scatter and box plots of ammonia (NH ₃ -N, mg/L) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.54
Figure B-33. Seasonal scatter and box plots of total coliforms (MPN/100 mL) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.55
Figure B-34. Seasonal scatter and box plots of fecal coliforms (MPN/100 mL) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.56
Figure B-35. Seasonal scatter and box plots of enterococcus (MPN/100 mL) for all stations (blue) and outfall Station 2205 (red), July 2011 through June 2012.	B.57
Figure B-36. Spatial distributions of Group A and Group B metals concentrations (mg/kg) in sediments during July 2011 and January 2012. Group A metals included arsenic, beryllium, chromium, lead, nickel, and selenium. Group B included cadmium, copper, mercury, silver, and zinc.	B.58

Appendix C - QUALITY ASSURANCE/ QUALITY CONTROL

Figure C-1.	Quality assurance plots of distance to station for otter trawl hauls, August 2011.	C.52
Figure C-2.	Quality assurance plots of trawl depth and trawl duration per haul for otter trawl stations, August 2011.	C.54
Figure C-3.	Quality assurance plots of distance to station for otter trawl hauls, February 2012.	C.56
Figure C-4.	Quality assurance plots of trawl depth and trawl duration per haul for otter trawl stations, February 2012.	C.58

ABBREVIATIONS AND ACRONYMS

The following is a list of abbreviations and acronyms used in the Marine Monitoring Volume. A table of metric equivalents is included to allow conversions from metric to U.S. units.

acidity/alkalinity	pH
acoustic Doppler current profiler	ADCP
aluminum	Al
ammonium	NH ₄ ⁺
antimony	Sb
arsenic	As
accelerated solvent extractor	ASE
balanced indigenous population	BIP
Benthic Response Index	BRI
beryllium	Be
biochemical oxygen demand	BOD
cadmium	Cd
California Department of Health Services	CDHS
centimeter	cm
chlorophyll- <i>a</i>	Chl- <i>a</i>
chromium	Cr
Clean Water Act	CWA
conductivity/temperature/depth	CTD
copper	Cu
cubic centimeter	cm ³
cubic meter	m ³
degree Celsius	°C
differential Global Positioning System	dGPS
dissolved oxygen	DO
dry weight	dry wt
effects range low	ERL
effects range medium	ERM
Environmental Laboratory and Ocean Monitoring	ELOM
Environmental Protection Agency	EPA
Environmental Sciences Laboratory	ESL
epibenthic macroinvertebrates	EMI
Effects Range-Low	ER-L
Effects Range-Medium	ER-M
foot	ft
Food and Drug Administration	FDA
gallon	gal
gallons per day	gpd
gas chromatograph with dual electron capture detector	GC/ECD/ECD
gas chromatograph with tandem mass spectrometer	GC/MS/MS
gas chromatography/mass spectrometry	GC/MS
Global Positioning System	GPS
gram	g
greater than	>
greater than or equal to	≥
high-density polyethylene	HDPE
inductively coupled emission spectroscopy	ICPES
inductively coupled mass spectroscopy	ICPMS
inch	in
Infaunal Trophic Index	ITI
iron	Fe
Joint Water Pollution Control Plant	JWPCP
kilogram	kg

ABBREVIATIONS AND ACRONYMS

kilometer	km
lead	Pb
less than	<
less than or equal to	≤
linear alkyl benzenes	LAB
liter	L
liters/day	L/day
magnesium sulfate	MgSO ₄
Margalef Species Richness	d
mass emission rate	MER
mean	\bar{x}
mercury	Hg
meter	m
method detection limit	MDL
metric tons per day	MT/day
metric tons per year	MT/yr
microgram	μg
micrograms per gram	μg/g
micrograms per kilogram	μg/kg
micrograms per liter	μg/L
mile	mi
milligram	mg
milligrams per kilogram	mg/kg
milligrams per liter	mg/L
milliliter	mL
millimeter	mm
million gallons per day	MGD
most probable number	MPN
nanogram	ng
nanograms per gram	ng/g
National Marine Fisheries Service	NMFS
National Oceanic and Atmospheric Administration	NOAA
National Pollutant Discharge Elimination System	NPDES
National Research Council	NRC
National Status and Trends	NS&T
nautical mile	nmi
nickel	Ni
not analyzed	NA
not applicable	N/A
not detected	ND
not significant	ns
oil and grease	O&G
Orange County Sanitation District	District or OCSD
Orange County Health Care Agency	OCHCA
Orange County Water District	OCWD
out-of-range occurrence	ORO
parts per billion	ppb
parts per million	ppm
parts per thousand	ppt
percent	%
plus or minus	±
polychlorinated biphenyls	PCB
polycyclic aromatic hydrocarbons	PAH
pound	lb
practical salinity unit	psu

ABBREVIATIONS AND ACRONYMS

probability	p
publicly owned treatment works	POTW
quality assurance	QA
quality control	QC
Quality Assurance Project Plan	QAPP
quality assurance/quality control	QA/QC
Regional Water Quality Control Board	RWQCB
relative percent difference	RPD
Science Applications International Corporation	SAIC
Scripps Institution of Oceanography	SIO
second	sec or s
sediment quality triad	SQT
selenium	Se
Shannon-Wiener diversity index	H'
silver	Ag
Southern California Association of Marine Invertebrate Taxonomists	SCAMIT
Southern California Bight	SCB
Southern California Bight Pilot Project	SCBPP
Southern California Coastal Water Research Project	SCCWRP
species (singular)	sp
species (plural)	spp
Species Evenness	J'
square centimeter	cm ²
square kilometer	km ²
square meter	m ²
standard operating procedure	SOP
standard reference material	SRM
Statistical Analysis System	SAS
Strategic Process Study	SPS
thallium	Tl
tons per year	tons/yr
total DDT	tDDT
total linear alkyl benzenes	tLAB
total organic carbon	TOC
total polycyclic aromatic hydrocarbons	tPAH
total polychlorinated biphenyls	tPCB
total suspended solids	TSS
total volatile solids	TVS
U.S. Environmental Protection Agency	USEPA
U.S. Fish and Wildlife Service	USFWS
weight	wt
wet weight	wet wt
year	yr
zinc	Zn
zone of initial dilution	ZID

ABBREVIATIONS AND ACRONYMS

Metric System With U.S. Equivalents		
Metric Unit		U.S. Equivalent
Length		
millimeter (mm)		0.04 inches
centimeter (cm)		0.39 inches
meter (m)		39.37 inches/3.28 ft
kilometer (km)		0.62 miles, 0.54 nm
nautical mile (nm)		1.151 miles
Area		
square centimeter (cm ²)		0.155 sq. inches
square meter (m ²)		1.196 sq. yards
sq. kilometer (km ²)		0.3861 sq. miles
Weight		
milligram (mg)		0.015 grains
gram (g)		0.035 ounces
kilogram (kg)		2.2046 pounds
metric ton (MT)		1.1 tons
Volume		
cubic centimeter (cm ³)		0.061 cubic inches
cubic meter (m ³)		1.31 cubic yards
liter (L)		0.2642 gallons
Capacity, Cubic		
milliliter (mL)		0.06 cubic inches
liter (L)		61.02 cubic inches
kiloliter (kL)		1.31 cubic yards
Temperature		
°C (Centigrade)		$(9/5)(^{\circ}\text{C}) + 32 = ^{\circ}\text{F}$ (Fahrenheit)
Speed		
meters per second (m/s)		2.237 miles per hour (mph)
nautical mile per hour (knot)		1.151 miles per hour (mph)

ACKNOWLEDGEMENTS

The following individuals are acknowledged for their contributions to the Marine Monitoring Volume of the 2011-12 Annual Report:

Orange County Sanitation District Management:

Ed Torres	Director of Operations and Maintenance
Ron Coss	Environmental Laboratory and Ocean Monitoring Division Manager
Dean Pasko	Environmental Supervisor, Ocean Monitoring Program

Primary Scientific Contributors:

Orange County Sanitation District:

George Robertson	Project Manager, Senior Scientist, Biologist
Dr. Jeffrey L. Armstrong	Project Coordinator, Biological Oceanographer
Michael Mengel	Quality Assurance Officer, Principal Environmental Specialist, Biological Oceanographer
Kelvin Barwick	Senior Environmental Specialist, Marine Biologist
Kim Christensen	Senior Scientist, Chemist
Robert Gamber	Senior Lab Analyst, Toxicologist
Michael McCarthy	Principal Environmental Specialist, Marine Biologist
Hai Nguyen	Senior Environmental Specialist, Data Management, Data Analysis
Ken Sakamoto	Senior Environmental Specialist, Biologist
Laura Terriquez	Senior Environmental Specialist, Marine Biologist
Christina Thomas	Senior Environmental Specialist, Marine Biologist

Production Staff:

Orange County Sanitation District:

Michael Mengel	Editor, Graphics
Sean Chou	Xerographic Services

Field and Laboratory Staff:

Orange County Sanitation District:

Miriam Angold, Jeff Armstrong, Kelvin Barwick, Jim Campbell, Kim Christensen, Arturo Diaz, Joel Finch, Delci, Huntley, Joe Manzella, Mike McCarthy, Lori McKinley, Ryan McMullin, Mike Mengel, Donna Min, Dawn Myers, Canh Nguyen, Hai Nguyen, Thomas Nguyen, Vanh Phonsiri, Anthony Pimentel, George Robertson, Ernie Ruckman, Ken Sakamoto, Laura Terriquez, Christina Thomas, Yu-Li Tsai, Amy Valencia, Mike von Winckelmann, and Norman Whiteman.

Enchanter, Inc.

Tom Pesich

Weston Solutions Inc.:

Amanda Elliott, Sally Hawkins, Sheila Holt, John Ljubenkov, Yat-Long Poon, and Olga Weaver.



ORANGE COUNTY SANITATION DISTRICT
Environmental Lab and Ocean Monitoring Division
10844 Ellis Avenue
Fountain Valley, California 92708-7018
714.962.2411

www.ocsewers.com