

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 March 2021

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	
3/1																				
3/2	480	83	50	<17	<17	<17	<17	17	50	<17	<17	<17	<17	<17	<17	67	<17	17	83	
3/3	600																			50
3/4																				
3/5																				
3/6																				
3/7																				
3/8																				
3/9	50	100	33	<17	<17	<17	17	<17	<17	<17	150	17	17	33	<17	33	17	50	17	
3/10	120																			280
3/11																				
3/12																				
3/13																				
3/14																				
3/15																				
3/16	12000	12000	33	3800	17	<17	17	<17	170	33	17	<17	17	67	33	<17	50	17	17	
3/17	1400																			<17
3/18																				
3/19																				
3/20																				
3/21																				
3/22																				
3/23	100	120	17	50	<17	<17	83	<17	<17	33	17	17	33	83	50	<17	<17	33	83	
3/24	50																			<17
3/25																				
3/26																				
3/27																				
3/28																				
3/29																				
3/30	120	180	17	100	17	17	<17	17	100	<17	<17	<17	<17	<17	<17	83	<17	83	17	
3/31	67																			50

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

6N	3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PCCU	PPC	PPCD	39S	WFCU
600	<17	200	<17																
9500	17	67		100	<17	<17	<17	<17	130	<17	<17	33	1800	350	17	>15000	<17	<17	<17
33	17	50	170																
700	1000	700		980	50	17	67	17	33	<17	>250	>1300	>8800	>2000	>17	>8000	67	50	17
17	17	900	6600																
67	33	83		<17	1200	230	100	50	<17	<17	<17	17	>2100	50	<17	>1600	<17	<17	<17
<17	17	<17	17																
120	150	17		<17	<17	<17	<17	<17	17	<17	17	67	1000	<17			<17	<17	33
200	120	17	440																
900	<17	<17		17	<17	17	<17	<17	350	<17	17	1600	1100	220				<17	

R - Samples influenced by rain.  
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
CWS - Confluence With Sheen  
CWOS - Confluence Without Sheen  
LA - Laboratory Accident  
NR - No Results.  
NT - Sample Not Taken  
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFC	WFCD	ONB39	MDCU	MDC	MDCD	ELMOROU	ELMORO	ELMOROD
800	<17	130	33	4400	<17			<17
>3600	17	17	<17	>5000	>320	67	>2800	200
800	<17	<17	<17	>3000	67			<17
260	<17	<17	33	>11000	300	83	600	<17
		<17	<17	8700	83			<17

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.