

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 March 2018

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
3/1																				
3/2																				
3/3																				
3/4																				
3/5																				
3/6	26	16	4	2	<2	2	<2	2	12	2	4	4	2	<2	<2	<2	<2	2	2	
3/7	46																	2	2	
3/8																				
3/9																				
3/10																				
3/11																				
3/12																				
3/13	66	14	16	14	2	4	4	4	2	2	<2	>400	<2	4	4	4	36	<2	8	
3/14	118																	<2	<2	
3/15																				
3/16																				
3/17																				
3/18																				
3/19																				
3/20	108	10	22	8	4	2	<2	<2	40	2	2	2	<2	<2	<2	<2	<2	<2	2	
3/21	64																	4	4	
3/22																				
3/23																				
3/24																				
3/25																				
3/26																				
3/27	78	10	78	42	2	<2	<2	22	<2	6	4	6	22	12	10	6	18	<2	<2	
3/28	46																	2	2	
3/29																				
3/30																				
3/31																				

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
2	6	12																	
4	4		8	<2	<2	4	2	2	2	4	<2	100	8			<2	<2	6	204
4	18	8																	
4	12		4	2	2	<2	<2	<2	<2	22	8	132	22	6	>400	<2	4	84	>400
2	2	<2																	
14	10		16	<2	2	<2	<2	<2	<2	<2	6	152	<2			<2	<2	2	164
2	6	8																	
2	2		<2	4	2	<2	<2	2	<2	2	<2	238	<2			2	<2	30	132

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD	ELMOROD
<2	2	4	236	<2	<2
20	70	6	>400	6	14
<2	6	<2	>400	<2	<2
2	<2	<2	388	4	2

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.