

**Orange County Sanitation District  
Surfzone Bacteriology Monitoring  
Fecal Coliform Bacteria (CFU/100 mL)  
Daily Monitoring Data  
February 2012**

	39N	33N	27N	21N	15N	9N	6N	3N	0	D2	SAR	3S	6S	9S	15S	21S	27S	29S	39S
2/1	18	18	<18	<18	<18	18	<18	18	18	36 S	<18 S	55	<18	<18	<18	<18	1800	<18	<18
2/2	<18	<18	<18	<18	55	<18	18	36	55	<18 S	36 S	91	<18	36	18	36	18	160	<18
2/3	18	18	<18	18	73	73	<18	18	18	<18 S	18 S	18	<18	<18	18	36	<18	<18	<18
2/4																			
2/5																			
2/6	<18	<18	<18	<18	<18	36	<18	<18	55	36 S	<18 S	<18	<18	<18	<18	460	<18	36	<18
2/7	<18	<18	<18	<18	18	110	73	<18	<18	18 S	<18 S	<18	1100	<18	18	18	<18	73	<18
2/8	18	<18	<18	<18	<18	<18	160	18	<18	<18 S	<18 S	55	<18	36	110	780	<18	130	36
2/9	<18	18	18	<18	<18	<18	150	<18	18	36 S	36 S	<18	<18	<18	<18	<18	<18	<18	<18
2/10	18 R	<18 R	<18 R	<18 R	36 R	<18 R	18 R	<18 R	<18 R	<18 S	18 S	<18 R	<18 R	<18 R	55 R	<18 R	<18 R	<18 R	18 R
2/11																			
2/12																			
2/13																			
2/14	<18	<18	<18	<18	<18	<18	<18	18	55	18 S	55 S	73	18	36	36	36	<18	<18	<18
2/15	<18 R	<18 R	18 R	<18 R	<18 R	<18 R	<18 R	<18 R	18 R	<18 S	73 S	91 R	<18 R	<18 R	18 R	18 R	<18 R	18 R	<18 R
2/16	36 R	18 R	<18 R	<18 R	<18 R	<18 R	<18 R	<18 R	1000 R	1300 S	5000 S	2000 R	440 R	<18 R	<18 R	55 R	<18 R	18 R	<18 R
2/17	<18 R	36 R	<18 R	<18 R	18 R	<18 R	<18 R	18 R	<18 R	18 S	<18 S	91 R	36 R	<18 R	18 R	<18 R	<18 R	18 R	<18 R
2/18																			
2/19																			
2/20																			
2/21	<18	<18	<18	<18	<18	<18	3600	36	18	18 S	<18 S	73	<18	<18	<18	<18	<18	<18	<18
2/22	<18	55	<18	<18	<18	<18	55	110	36	18 S	18 S	18	<18	<18	73	<18	73	18	<18
2/23	<18	<18	<18	<18	<18	18	200	18	18	<18 S	<18 S	18	55	<18	<18	<18	<18	18	<18
2/24	<18	<18	18	18	<18	<18	91	18	<18	18 S	<18 S	18	18	<18	18	<18	<18	<18	<18
2/25																			
2/26																			
2/27	<18 R	<18 R	18 R	<18 R	36 R	<18 R	<18 R	<18 R	<18 R	18 S	18 S	36 R	<18 R	<18 R	<18 R	<18 R	<18 R	36 R	<18 R
2/28	18 R	<18 R	18 R	<18 R	36 R	<18 R	<18 R	<18 R	270 R	310 S	240 S	180 R	130 R	18 R	18 R	<18 R	<18 R	18 R	<18 R
2/29	<18	18	<18	<18	55	18	18	18	180	3400 S	55 S	130	55	<18	<18	<18	<18	<18	<18

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

LA - Laboratory Accident

NR - No Results

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.