

Orange County Sanitation District  
 Surfzone Bacteriology Monitoring  
 Total Coliform (CFU/100 mL)  
 Daily Monitoring Data  
 March 2014

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N	
3/1																				
3/2																				
3/3																				
3/4	1900	900	500	1500	170	130	270	150	67	83	150	50	120	130	200	220	50	17	17	
3/5	1600																	33	67	
3/6																				
3/7																				
3/8																				
3/9																				
3/10																				
3/11	<17	83	50	17	<17	<17	<17	17	<17	33	<17	67	17	67	67	33	17	<17	<17	
3/12	180																	33	33	
3/13																				
3/14																				
3/15																				
3/16																				
3/17																				
3/18	83	50	<17	<17	<17	17	<17	<17	17	17	<17	<17	17	50	17	<17	<17	<17	<17	
3/19	180																	<17	<17	
3/20																				
3/21																				
3/22																				
3/23																				
3/24																				
3/25	17	<17	17	50	<17	<17	<17	33	67	33	<17	17	<17	<17	<17	<17	17	17	17	
3/26	100																	<17	380	
3/27																				
3/28																				
3/29																				
3/30																				
3/31																				

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
300	120	200																	
130	170		700	400	200	50	17	33	17	17	33	4600	17	<17	17	17	3000	50	100
400	220	33																	
130	<17		<17	67	<17	67	50	33	<17	<17	740	2600	<17	<17	<17	17	870	17	1700
17	2000	270																	
280	100		83	50	17	33	<17	<17	<17	17	500	>4300	<17	17	<17	17	1100	<17	<17
17	120	120																	
2000	130		380	250	100	67	17	100	33	370	17	4400	<17	17	17	<17	1200	<17	200

R - Samples influenced by rain.  
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.  
 CWS - Confluence With Sheen  
 CWOS - Confluence Without Sheen  
 LA - Laboratory Accident  
 NR - No Results.  
 NT - Sample Not Taken  
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROD
<17	4000	150	17
<17	1300	<17	<17
33	CWS	67	<17
33	CWS	180	17

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CWS - Confluence With Sheen

CWOS - Confluence Without Sheen

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.