

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Total Coliform (CFU/100 mL)
 Daily Monitoring Data
 March 2016

Date	OSB02	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	9N	6N
3/1	17	67	100	17	<17	50	<17	17	33	33	17	<17	<17	<17	<17	<17	<17	<17	<17
3/2	50																	<17	<17
3/3																			
3/4																			
3/5																			
3/6																			
3/7																			
3/8	>9700	>6500	>5700	>6500	230	430	100	400	200	480	1200	440	1000	270	450	1100	520	460	820
3/9	2400																	17	67
3/10																			
3/11																			
3/12																			
3/13																			
3/14																			
3/15	83	67	17	33	<17	<17	17	<17	150	17	<17	<17	<17	<17	<17	<17	33	<17	<17
3/16	50																	<17	17
3/17																			
3/18																			
3/19																			
3/20																			
3/21																			
3/22	180	170	270	33	<17	<17	<17	67	<17	<17	<17	<17	<17	<17	<17	17	17	<17	<17
3/23	<17																	33	<17
3/24																			
3/25																			
3/26																			
3/27																			
3/28																			
3/29	33	33	67	33	<17	<17	<17	<17	180	<17	17	17	17	17	<17	17	<17	<17	17
3/30	50																	33	<17
3/31																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWS - Confluence With Sheen
 CWOS - Confluence Without Sheen
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	AR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCD	39S	WFCU	WFC	WFCD	ONB39
17	83	150																	
17	120		17	230	<17	17	<17	<17	<17	<17	130	1800	230	<17	<17	<17	>330	<17	<17
700	300	CWS																	
<17	33		<17	120	67	67	130	67	17	150	33	>1800	120	83	50	200	>3000	83	130
<17	67																		
17	130	130	17	17	<17	<17	<17	<17	<17	<17	17	1600	33	<17	<17	<17	930	<17	<17
83	33	17																	
83	17		<17	50	<17	<17	<17	67	17	33	<17	2400	<17	<17	<17			<17	<17
<17	33	150																	
17	33		17	33	17	33	17	<17	<17	17	83	>2200	330	<17	<17	<17	2000	<17	<17

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWS - Confluence With Sheen
CWOS - Confluence Without Sheen
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

MDCU	MDC	MDCD	ELMOROD
<17	>2700	<17	<17
33	>1800	50	<17
<17	1000	100	<17
<17	2000	17	<17
<17	1000	33	<17

R - Samples influenced by rain.

S - Samples influenced by Santa Ana River or D2 Flood Control Channel.

CWS - Confluence With Sheen

CWOS - Confluence Without Sheen

LA - Laboratory Accident

NR - No Results.

NT - Sample Not Taken

Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.